


Double-row taper roller bearings with outer spacer ring



847000

| Bearing designation | Abmessungen (mm) | | | | | | | | Load factor | | | Load ratings(N) | | Limiting rotational speed. min-1 Fett | Masse (kg) |
|---------------------|------------------|----------|---------|---------|--------|---------|---------|------|-------------|------|------|-----------------|---------|------------------------------------------|------------|
| | d | D | T | B | C | r1,2min | r3,4min | e | Y1 | Y2 | Y0 | Kr | Kor | | |
| 847713 | 66.675 | 177.8 | 114.3 | 107.95 | 37.308 | 1 | 3.3 | 0.8 | 0.85 | 1.26 | 0.83 | 578000 | 828000 | 2000 | 14.89 |
| 847719 | 95.25* | 190.5* | 114.3 | 115.062 | 44.45 | 0.5 | 3.3 | 0.42 | 1.61 | 2.4 | 1.58 | 614000 | 1260000 | 1900 | 16.26 |
| 347920M | 100.211* | 168.275* | 95.25 | 95.25 | 30.162 | 0.8 | 3.3 | 0.47 | 1.43 | 2.12 | 1.4 | 429000 | 797000 | 1600 | 8.73 |
| 347944M | 219.075* | 358.775* | 196.85 | 200.025 | 85.725 | 1.5 | 6.4 | 0.33 | 2.03 | 3.02 | 2.03 | 2240000 | 4880000 | 700 | 91.732 |
| 847967XMY | 333.375* | 469.9* | 166.688 | 166.688 | 71.438 | 3.3 | 3.3 | 0.33 | 2 | 3 | 1.97 | 2400000 | 5910000 | 630 | 94.7 |
| 847967ЛMY | 333.375* | 469.9* | 166.688 | 166.688 | 71.438 | 3.3 | 3.3 | 0.33 | 2 | 3 | 1.97 | 2150000 | 5220000 | 630 | 236.42 |
| 40471/500XЛM | 500 | 720 | 217 | 185 | 75 | 6 | 6 | 0.82 | 0.82 | 1.23 | 0.81 | 2846000 | 6807000 | 260 | 236.42 |
| 537905C17 | 25 | 52 | 37 | 18,5 | 37 | 0,60 | 1,0 | 0,37 | 1,80 | 2,68 | 1,76 | 58500 | 75000 | 5000 | 0,367 |
| 537906E1C35 | 30 | 60 | 37 | 18,5 | 37 | 3,10 | 0,2 | 0,43 | 1,55 | 2,30 | 1,50 | 64800 | 90100 | 5000 | 0,476 |
| 537907C17 | 34 | 64 | 37 | 18,5 | 37 | 3,30 | 1,0 | 0,47 | 2,21 | 3,29 | 2,16 | 68600 | 99800 | 3700 | 0,556 |
| 537707C17 | 35 | 64 | 37 | 18,5 | 37 | 3,56 | 1,2 | 0,47 | 1,43 | 2,13 | 1,40 | 68600 | 99800 | 3700 | 0,556 |
| 537807C17 | 35 | 68 | 37 | 18,5 | 37 | 2,50 | 1,0 | 0,51 | 1,33 | 1,97 | 1,30 | 69800 | 105000 | 3700 | 0,614 |
| 537908C17 | 37 | 72 | 37 | 18,5 | 37 | 3,30 | 1,0 | 0,43 | 1,57 | 2,34 | 1,53 | 81600 | 112000 | 3700 | 0,718 |
| 537808C17 | 39 | 68 | 37 | 18,5 | 37 | 2,80 | 1,0 | 0,51 | 1,33 | 1,97 | 1,30 | 69800 | 105000 | 3700 | 0,546 |
| 537708C17 | 39 | 72 | 37 | 18,5 | 37 | 3,80 | 1,0 | 0,50 | 1,30 | 1,97 | 1,29 | 69800 | 105000 | 3700 | 0,673 |
| 537909K1C17 | 49 | 84 | 43 | 21,5 | 43 | 3,3 | 1,5 | 0,46 | 1,47 | 2,19 | 1,44 | 108000 | 156000 | 3200 | 0,941 |
| 537909K2C17 | 49 | 84 | 43 | 21,5 | 43 | 3,3 | 1,5 | 0,46 | 1,47 | 2,19 | 1,44 | 108000 | 156000 | 3200 | 0,941 |
| 537909KC17 | 49 | 84 | 43 | 21,5 | 43 | 3,3 | 1,0 | 0,45 | 1,49 | 2,23 | 1,46 | 108000 | 156000 | 3200 | 0,941 |
| 537910C17 | 50 | 84 | 54 | 27 | 54 | 4,5 | 1,0 | 0,5 | 1,47 | 2,20 | 1,44 | 108000 | 156000 | 3200 | 1,041 |
| 537810AC17 | 50 | 92 | 55 | 27,5 | 55 | 1,5 | 1,2 | 0,42 | 1,61 | 2,39 | 1,57 | 157000 | 232000 | 3200 | 1,543 |