


RA Crossed Roller Bearings



Modell Nr.	Große Dimensionen							Schultermaße		Tragfähigkeit (radial)		Gewicht
	Innendurchmesser d	Außendurchmesser D	Rollenteilkreisdurchmesser dp	Breite BB1	Schmierloch a	Schmierloch b	r (Min.)	DS	Dh	C kN	C0 kN	Masse
RA5008	50	66	57	8	2	0.8	0.5	53.5	60.5	5.1	7.19	0.08
RA6008	60	76	67	8	2	0.8	0.5	63.5	70.5	5.68	8.68	0.09
RA7008	70	86	77	8	2	0.8	0.5	73.5	80.5	5.98	9.8	0.1
RA8008	80	96	87	8	2	0.8	0.5	83.5	90.5	6.37	11.3	0.11
RA9008	90	106	97	8	2	0.8	0.5	93.5	100.5	6.76	12.4	0.12
RA10008	100	116	107	8	2	0.8	0.5	103.5	110.5	7.15	13.9	0.14
RA11008	110	126	117	8	2	0.8	0.5	113.5	120.5	7.45	15	0.15
RA12008	120	136	127	8	2	0.8	0.5	123.5	130.5	7.84	16.5	0.17
RA13008	130	146	137	8	2	0.8	0.5	133.5	140.5	7.94	17.6	0.18
RA14008	140	156	147	8	2	0.8	0.5	143.5	150.5	8.33	19.1	0.19
RA15008	150	166	157	8	2	0.8	0.5	153.5	160.5	8.82	20.6	0.2
RA16013	160	186	172	13	2.5	1.6	0.8	165	179	23.3	44.9	0.59
RA17013	170	196	182	13	2.5	1.6	0.8	175	189	23.5	46.5	0.64
RA18013	180	206	192	13	2.5	1.6	0.8	185	199	24.5	49.8	0.68
RA19013	190	216	202	13	2.5	1.6	0.8	195	209	24.9	51.5	0.69
RA20013	200	226	212	13	2.5	1.6	0.8	205	219	25.8	54.7	0.71